MSDS Number: CTPC-01 MSDS Date: May, 2012



MATERIAL SAFETY DATA SHEET

Section I - Product and Company Information

Product Group: CertainTeed Quick Prep Products

CAS Number: Mixture

Hazard Rating: Health: 1 Fire: 1 Reactivity: 0 PPI: E

EPA Registration: NA

Company Identification: Acrylic Technologies, Inc.

8914 NE Alderwood Road Portland, Oregon 97220

Contact: CUSTOMER SERVICE

Telephone/Fax: (503) 282-2591 / (503) 552-1441

Product Name: Quick Prep Interior Drywall Primer

Quick Prep Plus Interior Prep Coat

Section II - Ingredient And Hazard Information

Hazardous Ingredients: CAS Number % TSCA Health Fire React PP

(No hazardous ingredients known at this time.)

Section III - Hazards Identification

Primary Routes of Entry: Ingestion and/or inhalation.

Carcinogenicity: This product does not contain any substance(s) listed as a carcinogen by

NTP, IARC, or OSHA.

Acute (Short Term) For Product: EYES: Causes irritation.

SKIN: May cause skin irritation upon prolonged or repeated contact.

BREATHING: Causes slight irritation to nose and throat.

SWALLOWING: Ingestion may cause nausea, vomiting, diarrhea.

Chronic (Long Term) For Product or Components:

Prolonged or repeated breathing of sprays, mists, or dusts in excess of the suggested TLV may

cause nasal and respiratory irritations.

Permissible Exposure Level For Product:

No Threshold Limit Value (TLV) has been established for the product. Current Adopted Values listed by ACGIH suggests a TLV of 10 mg/m3 as Inhalable Particulates Not Otherwise Classified for sprays, mists or dust particulates generated during application or handling exposures.

MSDS Number: CTPC-01 MSDS Date: May, 2012

Section IV - First Aid Measures

If In Eyes: Immediately flush eyes with plenty of water for at least 15 minutes.

If irritation continues, see a physician.

If On Skin: Flush skin with water.

If Swallowed: Induce vomiting. Call a physician immediately. Give large amounts of water or milk.

Never give anything by mouth to an unconscious or convulsing person.

If Breathed: Remove person to fresh air. If not breathing, give artificial respiration, preferably

mouth-to-mouth. If breathing is difficult, give oxygen. Call a physician.

Section V - Fire-fighting Measures

Flammability Class: IIIB

Flash Range: >200F

Explosive Range: Not Applicable.

Extinguishing Media: Extinguishing media: Product is non-combustible.

Special Firefighting Procedures: Use self-contained breathing apparatus with full face piece.

Unusual Fire & Explosion Hazards:

None.

Section VI - Accidental Release Measures

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

Small Spills: Contain spill immediately. Use inert material to absorb spilled material.

Place absorbed spill into secure container for removal.

Large Spills: Use caution; spilled material may be extremely slippery. Contain spill immediately and prevent

from entering the sewer system. Use an inert material to absorb spilled product.

Section VII - Handling and Storage

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

Protect From Freezing: Store product between 40 deg. F. and 90 deg. F. Frozen product may be irreversibly

damaged. Product should be kept out of direct sunlight at all times. Keep container

closed when not using.

MSDS Number: CTPC-01 MSDS Date: May, 2012

Section VIII - Exposure Controls/personal Protection

Occupational Exposure Limits: ACGIH TLV ACGIH TLV-C ACGIH STEL OSHA STEL OSHA PEL

Respiratory Protection: Use an approved MSHA or NIOSH respirator for nuisance mists, dusts, or sprays.

Ventilation: Use adequate ventilation to keep airborne concentrations below the exposure standard listed

in Section II and/or Section V.

Protective Gloves: None normally required. Use is advisable.

Eye Protection: Wear approved splashproof chemical goggles. In a controlled environment where eye contact

is minimal, Safety glasses with side shields may be sufficient protection.

Other Protective Equipment: Avoid contact with clothing, dried product may be irremovable.

Section IX - Physical And Chemical Properties

Form: Liquid

Appearance/Colour: White

Odour: Mild

Solubility (in water): Dispersible

pH Value: 8.5 - 10.0

Boiling Range: (Water) 212°F (100°C)

Vapour Pressure (mmHg): (Water) 17.@ 68°F (20°C)

Melting Point: Not Available

Evaporation Rate: Unavailable

Vapour Density: Non Volatile

Partition Coefficient: Not Available

% Volatile Volume: Including Water 31.12%

Specific Gravity: 1.4801

VOC: < 8 grams per liter

Molecular Weight: Mixture

MSDS Number: CTPC-01 MSDS Date: May, 2012

Section X - Stability and Reactivity

Stability: This product is stable

Hazardous Polymerization: Hazardous polymerization will not occur

Incompatability: None

Conditions To Avoid: Acids, strong oxidizing agents.

Hazardous Decomposition Products:

Thermal decomposition or burning may produce carbon monoxide and/or carbon dioxide.

Section XI - Toxicological Information

Lethal Dose Information (ppm)

Additional Toxicological Data For Product and/or Ingredients:

None known for product.

Section XII - Ecological Information

ECOLOGICAL INFORMATION FOR PRODUCT AND/OR INGREDIENTS:

Aquatic toxicity not available.

Section XIII - Disposal Considerations

EPA Hazardous Waste Number: None

WASTE DISPOSAL METHOD: Product must be disposed of properly under Federal/State regulations for industrial waste.

Disposal to a landfill may be permitted pending compliance with 40 CFR 264.314 & 265.314. This product when spilled or disposed of is a non-hazardous waste as defined in RCRA

regulations (40 CFR 261).

Section XIV - Transport Information

UN Number: None

UN Pack Group: NA

UN Class: NA

ICAO/IATA Class: None

DOT Hazard Class: Not Hazardous

MSDS Number: CTPC-01 MSDS Date: May, 2012

CANADIAN TDG/WHMIS INFORMATION:

Pin Number: None

Tdg: NA

Tdg Act Class: NA

Whmis: NA

Other Names: None

Section XV - Regulatory Information

EEC Classification: Irritant

This product is not a listed hazardous substance.

Section XVI - Other Information

Additional Precautions And Notes:

Do not dilute or mix with other materials unless advised by supplier.