



GlasRoc® Interior

Safety Data Sheet

According to U.S. Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations and according to Canada's Hazardous Products Regulation, February 11, 2015.

Date of Issue: 10/21/2020

Version: 1.0

SECTION 1: IDENTIFICATION

Product Name: GlasRoc® Interior

Other Product Identifiers: ½" GlasRoc® Interior and 5/8" GlasRoc® Interior Type X
Gypsum panel products for interior and exterior wall applications.

CertainTeed Gypsum
20 Moores Road
Malvern, PA 19355
Professional: 800-233-8990
Consumer: 800-782-8777
www.certainteed.com

Emergency Telephone Number

Emergency Number :

Chemtel, LLC
Domestic: 1-800-255-3924
International: +1-813-248-0585
Australia: 1-300-954-583
Brazil: 0-800-591-6042
China: 400-120-0751
India: 000-800-100-4086
Mexico: 800-099-0731

SECTION 2: HAZARDS IDENTIFICATION

GHS Classification

No classification required according to 29 CFR 1910.1200 and the Hazardous Products Regulations (HPR) SOR/2015-17.

GHS Labeling

No labeling applicable according to 29 CFR 1910.1200 and the Hazardous Products Regulations (HPR) SOR/2015-17.

Unknown acute toxicity

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Name	Synonyms	Product Identifier	%*	GHS Ingredient Classification
Gypsum (Ca(SO ₄).2H ₂ O)	Gypsum / Calcium sulphate	(CAS-No.) 13397-24-5	>95	Not classified
Glass, oxide, chemicals	Continuous Filament Glass Fiber Products	(CAS-No.) 65997-17-3	1 - 3	Not classified
Limestone	Calcium carbonate / Calcite	(CAS-No.) 1317-65-3	<1	Not classified

Full text of H-phrases: see section 16

*Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%).

**Additional information: All concentrations are in percent by weight. Raw material in this product contains respirable crystalline silica as an impurity. Independent testing of this product suggests that under most conditions of use, this product will not result in exposure to respirable crystalline silica that exceeds OSHA's Action Level, (AL) or Permissible Exposure Limit (PEL). However, actual concentrations of respirable silica may vary based on the conditions of use. Specific exposures can only be determined by workplace industrial hygiene testing. <https://www.certainteed.com/drywall/osha-crystalline-silica-techupdate-certainteed-gypsum-board-products>.

SECTION 4: FIRST AID MEASURES

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

GlasRoc® Interior

Safety Data Sheet

According to U.S. Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations and according to Canada's Hazardous Products Regulation, February 11, 2015.

Skin Contact: Brush off loose particles from skin. Remove contaminated clothing. Wash with plenty of soap and water. Seek immediate medical advice/attention.

Eye Contact: Rinse cautiously with water for at least 5 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

Ingestion: Ingestion is not an anticipated route of exposure. If accidental ingestion occurs, flush mouth out with water and get medical attention.

General: Not expected to present a significant hazard under anticipated conditions of normal use.

Inhalation: Prolonged exposure may cause irritation.

Skin Contact: Prolonged exposure may cause skin irritation.

Eye Contact: May cause slight irritation to eyes.

Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None expected under normal conditions of use.

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Water spray, fog, carbon dioxide (CO₂), alcohol-resistant foam, or dry chemical.

Unsuitable Extinguishing Media: None known.

Fire Hazard: Not flammable.

Reactivity: The product is non-reactive under normal conditions of use, storage and transport.

Precautionary Measures Fire: Exercise caution when fighting any fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Exercise caution when fighting any fire.

Hazardous Combustion Products: None known.

Reference to Other Sections

Refer to Section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

General Measures: Avoid breathing dust. Avoid prolonged contact with eyes, skin and clothing.

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate the area if accidental release presents a significant hazard.

Protective Equipment: Follow protocol.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

Prevent entry to sewers and public waters.

For Containment: Contain solid spills with appropriate barriers and prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Carefully shovel or sweep up spilled material and place in suitable container. Transfer spilled material to a suitable container for disposal.

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

Avoid breathing dust. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

Technical Measures: Comply with applicable regulations.

Storage Conditions: Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials: Strong acids, strong bases, strong oxidizers.

Gypsum panel products for interior and exterior wall applications.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

Gypsum (Ca(SO₄).2H₂O) (13397-24-5)

GlasRoc® Interior

Safety Data Sheet

According to U.S. Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations and according to Canada's Hazardous Products Regulation, February 11, 2015.

USA ACGIH	ACGIH TWA (mg/m ³)	10 mg/m ³ (inhalable particulate matter (Calcium sulfate))
USA OSHA	OSHA PEL (TWA) (mg/m ³)	15 mg/m ³ (total dust) 5 mg/m ³ (respirable fraction)
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	10 mg/m ³ (total dust) 5 mg/m ³ (respirable dust)
Limestone (1317-65-3)		
USA OSHA	OSHA PEL (TWA) (mg/m ³)	15 mg/m ³ (total dust) 5 mg/m ³ (respirable fraction)
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	10 mg/m ³ (total dust) 5 mg/m ³ (respirable dust)
Glass, oxide, chemicals (65997-17-3)		
USA OSHA	OSHA PEL (TWA) (mg/m ³)	15 mg/m ³ total dust, 5 mg/m ³ , respirable fraction 8 hr
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	3 fibers/cm ³ (fibers ≤3.5 μm in diameter & ≥10μm in length), TWA 5mg/m ³ (total)

Appropriate Engineering Controls: Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment: Gloves. Protective clothing. Protective goggles.



Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear protective gloves.

Eye Protection: Chemical safety goggles.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection. Use respiratory protection when grinding or cutting material. Particulate mask should filter at least 99% of airborne particles.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State	: Solid
Appearance	: White
Odor	: Odorless
Odor Threshold	: Not available
pH	: Not applicable
Evaporation Rate	: Not available
Melting Point	: Not available
Freezing Point	: Not available
Boiling Point	: Not available
Flash Point	: Not available
Auto-ignition Temperature	: Not determined
Decomposition Temperature	: 1450 °C (2642 °F)
Flammability (solid, gas)	: Product is not flammable
Lower Flammable Limit	: Not available
Upper Flammable Limit	: Not available
Vapor Pressure	: Not applicable
Relative Vapor Density at 20°C	: Not available
Relative Density	: Not available
Specific Gravity	: Not available
Solubility	: Water: Insoluble

GlasRoc® Interior

Safety Data Sheet

According to U.S. Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations and according to Canada's Hazardous Products Regulation, February 11, 2015.

Partition Coefficient: N-Octanol/Water : Not available

Viscosity : Not available

SECTION 10: STABILITY AND REACTIVITY

Reactivity: The product is non-reactive under normal conditions of use, storage and transport

Chemical Stability: Stable under recommended handling and storage conditions (see section 7).

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions to Avoid: Direct sunlight, extremely high or low temperatures, and incompatible materials. Moisture.

Incompatible Materials: Strong acids, strong bases, strong oxidizers.

Hazardous Decomposition Products: Not expected to decompose under ambient conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

Acute Toxicity (Oral): Not classified (Based on available data, the classification criteria are not met)

Acute Toxicity (Dermal): Not classified (Based on available data, the classification criteria are not met)

Acute Toxicity (Inhalation): Not classified (Based on available data, the classification criteria are not met)

LD50 and LC50 Data: Not available

Skin Corrosion/Irritation: Not classified (Based on available data, the classification criteria are not met)

Eye Damage/Irritation: Not classified (Based on available data, the classification criteria are not met)

Respiratory or Skin Sensitization: Not classified (Based on available data, the classification criteria are not met)

Germ Cell Mutagenicity: Not classified (Based on available data, the classification criteria are not met)

Carcinogenicity: Not classified (Based on available data, the classification criteria are not met)

* This product contains crystalline silica (quartz) as a naturally occurring impurity. The International Agency for Research on Cancer (IARC) and the National Toxicology Program classify respirable crystalline silica as known human carcinogens. Independent testing of this product suggests that under most conditions of use, this product will not result in exposure to respirable crystalline silica that exceeds OSHA's Action Level, (AL) or Permissible Exposure Limit (PEL). Exposures to respirable crystalline silica at or above the OSHA AL, or PEL are not expected during the recommended use of this product. However, actual concentrations of respirable silica may vary based on the conditions of use. Specific exposures can only be determined by workplace industrial hygiene testing.

Specific Target Organ Toxicity (Repeated Exposure): Not classified (Based on available data, the classification criteria are not met)

Reproductive Toxicity: Not classified (Based on available data, the classification criteria are not met)

Specific Target Organ Toxicity (Single Exposure): Not classified (Based on available data, the classification criteria are not met)

Aspiration Hazard: Not classified (Based on available data, the classification criteria are not met)

Symptoms/Effects After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Effects After Skin Contact: Prolonged exposure may cause skin irritation.

Symptoms/Effects After Eye Contact: May cause slight irritation to eyes.

Symptoms/Effects After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None expected under normal conditions of use.

LD50 and LC50 Data:

Glass, oxide, chemicals (65997-17-3)	
IARC Group	3
National Toxicology Program (NTP) Status	Reasonably anticipated to be Human Carcinogen.

SECTION 12: ECOLOGICAL INFORMATION

Ecology - General: Not classified.

Persistence and Degradability No relevant information available.

Bioaccumulative Potential No relevant information available.

Mobility in Soil No relevant information available.

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations. Smaller quantities can be disposed of with household waste.

Ecology - Waste Materials: Avoid release to the environment.

GlasRoc® Interior

Safety Data Sheet

According to U.S. Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations and according to Canada's Hazardous Products Regulation, February 11, 2015.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

Not regulated for transport according to: US DOT, IMDG, IATA, and Canada's TDG

SECTION 15: REGULATORY INFORMATION

Chemical Name (CAS No.)	CERCLA RQ	EPCRA 304 RQ	SARA 302 TPQ	SARA 313
Gypsum (Ca(SO ₄).2H ₂ O) (13397-24-5)	Not applicable	Not applicable	Not applicable	No
Limestone (1317-65-3)	Not applicable	Not applicable	Not applicable	No
Glass, oxide, chemicals (65997-17-3)	Not applicable	Not applicable	Not applicable	No

SARA 311/312 Not present

US TSCA Flags Not present

California Proposition 65



WARNING: This product can expose you to Quartz, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Chemical Name (CAS No.)	Carcinogenicity	Developmental Toxicity	Female Reproductive Toxicity	Male Reproductive Toxicity
Quartz (14808-60-7)	Yes	No	No	No
Gypsum (Ca(SO ₄).2H ₂ O) (13397-24-5)	No	No	No	No
Limestone (1317-65-3)	No	No	No	No
Glass, oxide, chemicals (65997-17-3)	No	No	No	No

State Right-To-Know Lists

Gypsum (Ca(SO₄).2H₂O) (13397-24-5)

U.S. - Massachusetts - Right To Know List - No
U.S. - New Jersey - Right to Know Hazardous Substance List - Yes
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List - No
U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances - No
U.S. - Pennsylvania - RTK (Right to Know) List - Yes

Limestone (1317-65-3)

U.S. - Massachusetts - Right To Know List - Yes
U.S. - New Jersey - Right to Know Hazardous Substance List - Yes
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List - No
U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances - No
U.S. - Pennsylvania - RTK (Right to Know) List - Yes

Glass, oxide, chemicals (65997-17-3)

U.S. - Massachusetts - Right To Know List - No
U.S. - New Jersey - Right to Know Hazardous Substance List - No
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List - No
U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances - No
U.S. - Pennsylvania - RTK (Right to Know) List - No

Quartz (14808-60-7)

U.S. - Massachusetts - Right To Know List
U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Pennsylvania - RTK (Right to Know) List

Gypsum (Ca(SO₄).2H₂O) (13397-24-5)

Listed on the Canadian DSL (Domestic Substances List)

GlasRoc® Interior

Safety Data Sheet

According to U.S. Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations and according to Canada's Hazardous Products Regulation, February 11, 2015.

Not listed on the Canadian NDSL (Non-Domestic Substances List)
Limestone (1317-65-3)
Listed on the Canadian NDSL (Non-Domestic Substances List)
Not listed on the Canadian DSL (Domestic Substances List)
Glass, oxide, chemicals (65997-17-3)
Listed on the Canadian DSL (Domestic Substances List)
Not listed on the Canadian NDSL (Non-Domestic Substances List)
Quartz (14808-60-7)
Listed on the Canadian DSL (Domestic Substances List)

International Inventories/Lists

Chemical Name (CAS No.)	Australia AICS	Turkey CICR	Korea ECL	EU EINECS	EU ELINCS	EU SVHC	EU NLP	Mexico INSQ
Gypsum (Ca(SO ₄).2H ₂ O) (13397-24-5)	No	No	No	No	No	No	No	Yes
Limestone (1317-65-3)	Yes	No	Yes	Yes	No	No	No	Yes
Glass, oxide, chemicals (65997-17-3)	Yes	No	Yes	Yes	No	No	No	Yes

Chemical Name (CAS No.)	China IECSC	Japan ENCS	Japan ISHL	Japan PDSCCL	Japan PRTR	Philippines PICCS	New Zealand NZIOC	US TSCA
Gypsum (Ca(SO ₄).2H ₂ O) (13397-24-5)	Yes	No	No	No	No	No	Yes	No
Limestone (1317-65-3)	Yes	Yes	Yes	No	No	Yes	Yes	Yes
Glass, oxide, chemicals (65997-17-3)	Yes	Yes	Yes	No	No	Yes	Yes	Yes

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest Revision : 10/21/2020

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR) SOR/2015-17.

Abbreviations and Acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

AIHA: American Industrial Hygiene Association

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NIOSH - National Institute for Occupational Safety and Health

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

OEL: Occupational Exposure Limits

PEL: Permissible Exposure Limits

STEL: Short Term Exposure Limit

TLV: Threshold Limit Value

TSCA: United States Toxic Substances Control Act

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.