

Tavola™ Frames metal ceilings offer the clean look of structural beams, with unrestricted access to all systems in a variety of profiles, sizes, configurations, and finishes.

FEATURES AND BENEFITS

- Two-directional plenum mask
- Interlocking components assure tight, rigid assembly
- Wide variety of beam profiles and module configurations
- Waste reduction with factory fabricated dimensional material
- Less weight: reduce dead load with lightweight aluminum
- Easy plenum access
- Compatible with industry standard lighting, HVAC, speaker, fire safety, and security services

LEED® v4

RECYCLED CONTENT

up to 85%

MR: Building Product Disclosure

EQ: Low-Emitting Materials

EQ: Indoor Air Quality Assessment

LEED® is a registered trademark of the U.S. Green Building Council.

ATTRIBUTES



FIRE RATING: SMOKE DEVELOPED ≤ 50 AND FLAME SPREAD ≤ 25 AS PER CAN/ULC S102



SEISMIC RATING: CLASSES A, B, C, D, E, F



CUSTOMIZATION AVAILABLE

CERTIFICATIONS







EPD AVAILABLE



TAVOLA™ FRAMES

COLOURS AND FINISHES

A wide choice of colours and finishes as well as custom colour matching are available upon request. See website for the most up to date information and to order samples. Colours are for illustration purposes only.

STANDARD PAINT COLOURS











CUSTOM COLOURS



WHITE FINISH OPTIONS

Powder-coat paint finish for Arctic White #1015P (Gloss 10-20); Crystalline White #1050P (Gloss 45-55); Supernova White #1085P (Gloss 80-90). Aviation White #1011P: Powder-coat paint finish offering - LRV 90 - 9% gloss finish.



Arctic White Crystalline White



Supernova White



Aviation White

BLACK FINISH OPTIONS

Powder-coat paint finish for Starless Black #5000P (Matte); Raven Black #5030P (Gloss 25-35); Sable Black #5060P (Gloss 65-75); Wet Glass Black #5095P (Gloss 90-95)













DECORATED (POWDER-COAT) WOOD-LOOK OPTIONS

Powder-coat paint finish (interior and exterior). Formaldehyde-free, Class A composite panel. This finish is recommended for exterior conditions.



Fonthill Cherry 8422



Walnut 8424



Amber Bamboo 8432



Fine Wenge 8433



Grey Barnwood Cedar 8434



Golden Douglas Fir 8436



American Oak 8439



Crazy Cajun Cypress 8442



Swamp Cypress 8444







Penshaw Cherry

8481



Anigre 8453



Northwest Mountain Hemlock 8486



Whitewash 8487





Rustic Cherry 8739



Cherry 8742

Summer Maple 8465



Auxilium Maple 8753

Terrace Maple



White Oakwood 8758




Additional finishes available upon request. Please contact your local sales representative for more information.


White Oak 8491




INSTALLATION EXAMPLES

Typical Isometrics _







PHYSICAL DATA

MATERIAL

Aluminum

WEIGHT

Varies 2.44 - 9.76 kg/m² (0.5 - 2.0 lbs./sq.ft.)

FIRE RATING

Rated per CAN/ULC-S102

– Painted or anodized metal: Flame spread: \leq 25, Smoke \leq 50

SEISMIC RATING

Classes A,B,C,D,E,F

WIND LOAD

N/A

RECYCLED CONTENT

Up to 85%

LIGHT REFLECTANCE (LR) COEFFICIENT PER ASTM E1264 & ASTM E1477

- Cotton White: LR = 0.81

WARRANTY

1-year Limited Warranty. Full warranty information can be found at certainteed.com/warranty



